

M Collection Recessed Mirrors



IMPORTANT

To install this product, the wall must be opened to the studs. This installation might require custom placement of studs relative to the position of the product in the room. Please read the instructions related to your cabinet model carefully.

WALL PREPARATION

The M recessed cabinet collection is designed for a 4" (101.6mm) deep opening and needs special wall preparation.


- 1. Make sure that walls and floor are straight and level.
- 2. Determine the desired location of the cabinet.
- 3. The distance between vertical studs is determined by the cabinet size you purchased. Refer to diagrams below to find the correct stud position to mount your cabinet.
- 4. Metal and wooden studs should be reinforced horizontally with 2" x 4" wooden studs at the position of the wall opening for your corresponding cabinet model. (see *Wall opening diagram*)
- 5. Do not apply the wall surface until you test your stud placement with your cabinet size and make sure the cabinet will cover the rough wall opening.

Model	Product size	Opening size	Mod	el	lel Product size
M16ME-REC	16"x 19 1/8" 40.6 cm x 48.6cm	15"x 18 1/8" 38.1 cm x 46cm	M1630M	IE-REC	16"x 30" 40.6 cm x 76.2cm
M18ME-REC	18"x 19 1/8" 45.7 cm x 48.6cm	17"x 18 1/8" 43.2 cm x 46cm	M1830ME-	REC	REC 18"x 30" 45.7 cm x 76.2cm
122ME-REC	22"x 19 1/8" 55.9 cm x 48.6cm	21"x 18 1/8" 53.3 cm x 46cm	M2230ME-R	EC	22"x 30" 55.9 cm x 76.2cm
128ME-REC	28"x 19 1/8" 71.1 cm x 48.6cm	27"x 18 1/8" 68.6 cm x 46cm	M2830ME-RE	С	28"x 30" 71.1 cm x 76.2cm
M34ME-REC	34"x 19 1/8" 86.4 cm x 48.6cm	33"x 18 1/8" 83.8 cm x 46cm	M3430ME-REG	С	C 34"x 30" 86.4 cm x 76.2cm
M46ME-REC	46"x 19 1/8" 116.8 cm x 48.6cm	45"x 18 1/8" 114.3 cm x 46cm	M4630ME-REC	;	46"x 30" 116.8 cm x 76.2cm
M58ME-REC	58"x 19 1/8" 147.3 cm x 48.6cm	57"x 18 1/8" 144.8 cm x 46cm	M5830ME-REG	2	58"x 30" C 147.3 cm x 76.2cm

WALL OPENING DIMENSIONS

*Please note that rough opening sizes include a $\frac{1}{4}$ " gap all around the cabinet for levelling purposes. This will yield an actual $\frac{1}{2}$ " overlay of the cabinet over the opening

WALL OPENING DIAGRAM



*Please note that rough opening sizes include a $\frac{1}{2}$ " gap all around the cabinet for levelling purposes. This will yield an actual $\frac{1}{2}$ " overlay of the cabinet over the opening


CABINET MOUNTING

After your wall opening is completed, you can finish your wall and complete your cabinet installation when your bathroom is ready. Here is how to proceed.

1. Take off the doors from the cabinet. This will reduce the weight of the unit and make the handling easier.



- 2. Place cabinet in the wall opening framed by 2" x 4" wooden studs and make sure the cabinet is level. If cabinet is not level, shim the unit until its level. Shims should also be placed in any space between the stud framing and the cabinet directly adjacent to the locations where the screws (from next step) will be placed to prevent the cabinet frame from flexing.
- Install four #8 X 1 1/2" (38 mm) screws, two on each side of the cabinet into the wooden studs. We suggest to place the screws behind the hinge plates (this way, they will be hidden by the hinges once the doors are put back into place). Do not over tighten as this could damage the cabinet.
- 4. Reinstall the cabinet's doors.



5. Adjust the cabinet's doors if needed.

